



Preferred ordering guide for NETCONNECT®

ASEAN Region

COMMScope®

NETCONNECT is a complete portfolio of standards-based, technologically superior solutions that support voice, data, security, audio, video, controls and other building and campus systems. The NETCONNECT Structured Cabling Solution provides a complete fiber and copper cable, connectivity and cable management solution from the entrance facility to the desktop and across the campus.

PartnerPRO® NETWORK

The PartnerPRO® Network
opportunity:
new business, more revenue

The PartnerPRO Network is designed to help our partners find new revenue opportunities in today's competitive, global marketplace. A partnership with CommScope gives you a unique opportunity to begin from a position of instant brand recognition and greater trust, especially with new customers. Our partnership enables you to be among the first to offer your customers the latest technologies and innovative solutions from CommScope that can improve network performance, capacity and cost.

CommScope is committed to giving our Partners the best tools and support to serve our mutual customers

Members are provided access to the CommScope PartnerPRO Portal (CPPP) technology created to simplify collaboration, increase knowledge sharing and streamline the warranty process.



Next Steps

As the marketplace continues to become more crowded, differentiating yourself from the competition in a meaningful way becomes more difficult. Becoming a CommScope NETCONNECT Partner allows you to leverage the global equity of the CommScope brand and create greater value for your customers.

To learn more about the CommScope Partner programs available to you, contact your local CommScope representative or visit www.commscope.com



Benefits of being a CommScope NETCONNECT® Installer Partner

Partners enjoy benefits that can help grow business, expand customer base and maximize profit margins.

- Provide customers maximum warranty protection on CommScope products
- Increased visibility via CommScope's online Partner Locator
- Access to discounted pricing on demonstration, testing and exhibition products
- North America: Access to available co-op marketing funds
- Participation in valuable incentive programs
- Use of the CommScope PartnerPRO Network logo and local sales support
- Access to CommScope design tools, resources and technical support teams
- Inclusion in regional partner conferences, events and Partner communication calls
- Access to regular technical meetings, training and updates from CommScope
- Ongoing education and training on CommScope solutions, including online instruction
- Business events opportunities at CommScope global executive briefing centers
- Eligible to provide extended warranty terms for CommScope authorized projects
- Dedicated Executive Sponsor



Requirements of a CommScope NETCONNECT® Installer Partner

- Complete and submit an online application via the CommScope PartnerPRO™ Portal (CPP)
- All CommScope products must be purchased through PartnerPRO Network distributors or authorized resellers
- Participate in quarterly business reviews with CommScope to review sales, leads and business development activities
- Complete the CommScope Annual Partnership Process
- Receive a minimum number of customer surveys per year and maintain an average survey score (2 surveys/4.0 average score)

Training Requirements

- | | |
|--|---------------|
| • Installing Premises Cabling Systems, ACT 1: SP3801 or ND3801 | 2 individuals |
| • Certifying and Troubleshooting Premises Cabling Systems, ACT 2: SP3802 or ND3802 | 2 individuals |
| • Designing Premises Cabling Systems, ACT 3: SP3000 or ND3803 or SP3321 | 1 individual |

telepart.net

Warranties

CommScope guarantees that all NETCONNECT solutions will deliver on the terms and conditions of our 25-year assurance warranty:

- Will meet—and exceed—published specifications
- Will support all warranted, specified applications
- Will be replaced at no cost, whether a problem arises in the first year or the 25th

It's all covered under the CommScope Network Infrastructure System 25 Year Extended Product Warranty and Application Assurance. Only the best solution on the market can afford to offer this degree of warranty protection.

Full details at www.commscope.com/resources/Warranties/

CommScope warrants, for a period of twenty-five (25) years from the Certification Date, that Products in the Registered System shall be free from defects in materials or workmanship subject, to the terms and conditions and limitations of CommScope's Limited Product Warranty in effect at the date of sale.



CommScope Limited
Product Warranty



CommScope Network
Infrastructure System
25 Year Extended
Product and
Application Warranty



CommScope Product
and Software
Warranty Handbook

CommScope structured cabling solutions are backed
by our industry-leading 25-year Extended Product
Warranty and Application Assurance

CommScope has used the below new security label on part of CommScope cabling products since Feb 17th, 2017. Download APP by scanning the QR code on the label, you can verify CommScope cabling product easily after registration.

CommScope Mobile verification APP Guide

Step 1. Scan QR code and install APP on your smart phone



iOS and Google Play Download

Step 2. Check the new security label on the product and confirm the security features on the label.



1. Microtext: Small text viewable under low-powered microscope

2. White Etch: Effect where the light source is diffused and a White Color is observed

3. Guilloche: Fine textured lines similar to those used in banknotes as high security feature

4. Hologram Laser Effect: Effect which shows movement visible at various angle

5. Lens Effect: Effect which stimulates a colour kaleidoscope

6. Pseudo-metallic Effect: Effect which stimulates metallic lines not possible with printing

7. Random numbers: Random numbers where 1 character is with different color. (For mobile verification)

8. QR code: For scanning using mobile apps.

9. OVI Scratch-off Panel: Color changing Panel (From Metallic Green to Silver) for Easy Authentication. Beneath the scratch-off panel, there are hidden codes to be used for mobile verification.

Please visit www.csaip.com for more details and instruction.



NETCONNECT CATEGORY 6A F/UTP CABLES

PART NUMBER	DESCRIPTION	RATE	COLOR
894324508710	NETCONNECT CS4421, Category 6A Cable, 4 pair, 23 AWG, F/UTP, LSZH, 305M, Reel, White	LSZH	White

telepart.net



COMMScope SL DISCRETE DISTRIBUTION MODULE (DDM) PATCH PANELS, UNLOADED

PART NUMBER	DESCRIPTION	SPACE	PORT	TYPE
768237046	CPP-DDM-SL-1U-24: CommScope® SL DDM Patch Panel, 1U, 24 port, Straight	1U	24	Straight
768237047	CPP-DDM-SL-2U-48: CommScope® SL DDM Patch Panel, 2U, 48 port Straight	2U	48	Straight
768237050	CP98-DDM-SL-1U-24: CommScope® SL DDM Patch Panel, 1U, 24 port, Recessed Angled	1U	24	Angled
768237051	CP98-DDM-SL-2U-48: CommScope® SL DDM Patch Panel, 2U, 48 port, Recessed Angled	2U	48	Angled

telepart.net



NETCONNECT SLX SERIES JACK WITHOUT DUST COVER

PART NUMBER	DESCRIPTION	COLOR*
2153449-1	NETCONNECT SLX Jack, Category 6A, SFTP without Dust Cover, Almond	Almond
2153449-2	NETCONNECT SLX Jack, Category 6A, SFTP without Dust Cover, Black	Black
1-2153449-3	NETCONNECT SLX Jack, Category 6A, SFTP without Dust Cover, Alpine white	White

*Please contact us for other colors or jacks with dust cover



NETCONNECT ANGLED FACEPLATE, RECOMMENDED TO USE WITH SLX JACKS

PART NUMBER	DESCRIPTION	PORT	COLOR
1859167-1	NETCONNECT Faceplate, angled single port, UK style	1	White
1859168-1	NETCONNECT Faceplate, angled dual port, UK style	2	White

telepart.net



NETCONNECT CATEGORY 6A S/FTP PATCH CORDS

PART NUMBER	DESCRIPTION	RATE	COLOR
NPC6ASZDB-W500MM	NETCONNECT Patch cord, Category 6A, 4pair, Stranded S/FTP, LSZH, White, X m	LSZH	White
NPC6ASZDB-GY00MM	NETCONNECT Patch cord, Category 6A, 4pair, Stranded S/FTP, LSZH, Grey, X m	LSZH	Grey
NPC6ASZDB-BL00MM	NETCONNECT Patch cord, Category 6A, 4pair, Stranded S/FTP, LSZH, Blue, X m	LSZH	Blue

NOTE: Replace ## with length in met. Eg. 001 = 1m, 002 = 2m, 003 = 3m, 005 = 5m

telepart.net



NETCONNECT CATEGORY 6A S/FTP, HIGH-DENSITY SOLUTION

PART NUMBER	DESCRIPTION	RATE/TYPE	COLOR
26023066	CPH-6A-SDEM-SL-1U-48: ConnectScope SL DDM Panel, S/FTP, 1U, 48 port, Straight	1U, Straight	Black
1859916-X	NETCONNECT Patch cord, Category 6A, 4pair, 30AWG, S/FTP, LSZH, White, X m	LSZH	White
1859918-X	NETCONNECT Patch cord, Category 6A, 4pair, 30AWG, S/FTP, LSZH, Grey, X m	LSZH	Grey
1859919-X	NETCONNECT Patch cord, Category 6A, 4pair, 30AWG, S/FTP, LSZH, Red, X m	LSZH	Red

NOTE: Replace X with length in met. Eg. 1 = 1m, 2 = 2m, 3 = 3m, 5 = 5m

NETCONNECT CATEGORY 6A U/UTP CABLES			
PART NUMBER	DESCRIPTION	RATE	COLOR
9-1899679-6	NETCONNECT Category 6A Cable, 4 pair, 23 AWG, U/UTP; CM, 1000ft, Reel, Blue	CM	Blue
884019304/10	NETCONNECT CS448, Category 6A Cable, 4 pair, 23 AWG, U/UTP; CMR, 1000ft, Reel, Gray	CMR	Gray
884036104/10	NETCONNECT CS4423, Category 6A Cable, 4 pair, 23 AWG, U/UTP; LSZH, 805m, Reel, White	LSZH	White



telepart.net

HIGHBAND® CAT6A UTP, WALL MOUNT PATCHING SOLUTION	
PART NUMBER	DESCRIPTION
64501107-01	6450 1 107-01: Highband® 12-module Kit, category 6A, 20-pair modules
64501103-10	6450 1 103-10: Highband® Cable Manager, 100-pair
64502157-10	6450 2 157-10: Highband® Top Cable Trough
64502157-20	6450 2 157-20: Highband® Bottom Cable Trough
64512401C-30	6451 2 401C-30: Highband® 4-pair Rear Facing Patch Cord, 3.0m Blue
64512401C-40	6451 2 401C-40: Highband® 4-pair Rear Facing Patch Cord Bag, 4.5m Blue



telepart.net

COMMSCOPE DYNAMIC ANGLED DISTRIBUTION MODULE PANELS, CAT6A UTP				
PART NUMBER	DESCRIPTION	SPACE	PORTS	TYPE
760237020	NPPD-6A-GM-1U-24: Commscope Dynamic Angled Distribution Module Panel, Cat6A, UTP; 1U, 24 port	1U	24	Dynamic Angle
760237021	NPPD-6A-GM-2U-48: Commscope Dynamic Angled Distribution Module Panel, Cat6A, UTP; 2U, 48 port	2U	48	Dynamic Angle





COMMScope DISTRIBUTION MODULE (DM) PATCH PANELS, CAT6A UTP

PART NUMBER	DESCRIPTION	SPACE	PORTS	TYPE
760237032	NPP-6A-DM-1U-24: CommScope SL DM Patch Panel, Cat6A, UTP, 1U, 24 port, Straight	1U	24	Straight
760237033	NPP-6A-DM-2U-48: CommScope SL DM Patch Panel, Cat6A, UTP, 2U, 48 port, Straight	2U	48	Straight
760237036	NPP-6A-DM-1U-24: CommScope SL DM Patch Panel, Cat6A, UTP, 1U, 24 port, Recessed Angled	1U	24	Angled
760237037	NPP-6A-DM-2U-48: CommScope SL DM Patch Panel, Cat6A, UTP, 2U, 48 port, Recessed Angled	2U	48	Angled

telepart.net



NETCONNECT SL SERIES JACK, WITHOUT DUST COVER

PART NUMBER	DESCRIPTION	COLOR
1993476-1	NETCONNECT SL Jack, Category 6A, UTP, without Dust Cover, Almond	Almond
1993476-2	NETCONNECT SL Jack, Category 6A, UTP, without Dust Cover, Black	Black
1-1993476-3	NETCONNECT SL Jack, Category 6A, UTP, without Dust Cover, Alpine white	White

*Please contact us for other colors or jacks with dust cover

telepart.net



COMMScope CEILING CONNECTOR ASSEMBLY (CCA) SOLUTION

PART NUMBER	DESCRIPTION	COLOR
760234821	CommScope Ceiling Connector Assembly (CCA) without cabling	White
760235590	CommScope Category 6A U/UTP Cord, LSZH, RJ45 to Ceiling connector, 1.5 ft., white	White



NETCONNECT CATEGORY 6A U/UTP PATCH CORDS

PART NUMBER	DESCRIPTION	RATE	COLOR
NPC6AUNDB-BL###	NETCONNECT Patch cord, Category 6A, 4pair, Stranded U/UTP, CM, Blue, X ft.	CM	Blue
NPC6AUNDB-YL###	NETCONNECT Patch cord, Category 6A, 4pair, Stranded U/UTP, CM, Yellow, X ft.	CM	Yellow
NPC6AUNDB-RE###	NETCONNECT Patch cord, Category 6A, 4pair, Stranded U/UTP, CM, Red, X ft.	CM	Red

NOTE: Replace ### with length in feet. Eg. 004 = 4ft, 007 = 7ft, 010 = 10ft

PART NUMBER	DESCRIPTION	RATE	COLOR
NPC6ALDDB-WT###	NETCONNECT Patch cord, Category 6A, 4pair, Stranded U/UTP, LSZH, White, X m	LSZH	White
NPC6ALDDB-GR###	NETCONNECT Patch cord, Category 6A, 4pair, Stranded U/UTP, LSZH, Gray, X m	LSZH	Gray
NPC6ALDDB-OR###	NETCONNECT Patch cord, Category 6A, 4pair, Stranded U/UTP, LSZH, Orange, X m	LSZH	Orange

NOTE: Replace ### with length in met. Eg. 001 = 1m, 002 = 2m, 003 = 3m, 005 = 5m

telepart.net



NETCONNECT CATEGORY 6A U/UTP, HIGH-DENSITY SOLUTION

PART NUMBER	DESCRIPTION	RATE	COLOR
C0119KJ-02M##	CommScope Patch cord, Category 6A, 4pair, 28AWG, Stranded U/UTP, CM, Blue, X m	CM+S	Blue
C0119KJ-08M##	CommScope Patch cord, Category 6A, 4pair, 28AWG, Stranded U/UTP, CM, White, X m	CM+S	Yellow
C0119KJ-07M##	CommScope Patch cord, Category 6A, 4pair, 28AWG, Stranded U/UTP, CM, Red, X m	CM+S	Red

NOTE: Replace ## with length in met. Eg. 001 = 1m, 002 = 2m, 003 = 3m, 005 = 5m

telepart.net

Copper solutions Category 6 U/UTP



NETCONNECT CATEGORY 6 U/UTP CABLES

PART NUMBER	DESCRIPTION	JACKET	CONDUCTOR GAUGE
884018914/0	NETCONNECT Category 6 Cable, 4 pair, 23 AWG, U/UTP CM, 305m, Reel in box, Blue	CM	23 AWG
1427373-6	NETCONNECT Category 6 Cable, 4 pair, 24 AWG, U/UTP CM, 305m, Reel in box, Blue	CM	24 AWG
884011114/0	NETCONNECT CS31R, Category 6 Cable, 4 pair, 23 AWG, U/UTP CMR, 1000ft, Comnetpak, Gray	CMR	23 AWG
884036414/0	NETCONNECT CS3121, Category 6 Cable, 4 pair, 23 AWG, U/UTP LSZH, 305m, Comnetpak, White	LSZH	23 AWG
1427373-2	NETCONNECT TS812421, Category 6 Cable, 4 pair, 24 AWG, U/UTP LSZH, 305m, Reel in box, White	LSZH	24 AWG

telepart.net



COMMSCOPE DYNAMIC ANGLED DISTRIBUTION MODULE PANELS, CAT6 UTP

PART NUMBER	DESCRIPTION	SPACE	PORT
766237018	NPD-6-DM-1U-24 CommScope Dynamic Angled Distribution Module Panel, Cat6, UTP, 1U, 24 port	1U	24
766237019	NPD-6-DM-2U-48 CommScope Dynamic Angled Distribution Module Panel, Cat6, UTP, 2U, 48 port	2U	48

telepart.net



COMMSCOPE SL DISCRETE DISTRIBUTION MODULE (DDM) PATCH PANELS, UNLOADED

PART NUMBER	DESCRIPTION	SPACE	PORT
766237040	CPP-DDM-SL-1U-24 CommScope SL DDM Patch Panel, UTP, 1U, 24 port, Straight	1U	24
766237041	CPP-DDM-SL-2U-48 CommScope SL DDM Patch Panel, UTP, 2U, 48 port Straight	2U	48
766237044	CPP-DDM-SL-1U-24 CommScope SL DDM Patch Panel, UTP, 1U, 24 port, Recessed Angled	1U	24
766237045	CPP-DDM-SL-2U-48 CommScope SL DDM Patch Panel, UTP, 2U, 48 port, Recessed Angled	2U	48

NOTE: Customer should order 9-1375055-2 (in bulk pack, PQ= 24pc) to have a fully loaded patch panel.

Copper solutions

Category 6 U/UTP



NETCONNECT SL SERIES JACK, WITHOUT DUST COVER

PART NUMBER	DESCRIPTION	COLOR
1375055-1	NETCONNECT SL Jack, Category 6, UTP without Dust Cover, Almond	Almond
1375055-2	NETCONNECT SL Jack, Category 6, UTP without Dust Cover, Black	Black
9-1375055-2	NETCONNECT SL Jack, Category 6, UTP without Dust Cover, Black, in bulk pack	Black
1-1375055-3	NETCONNECT SL Jack, Category 6, UTP without Dust Cover, Alpine white	White

*Please contact us for other colors or jacks with dust cover

telepart.net



NETCONNECT SL SERIES JACK, PACKAGED WITH A CLIPSAL BEZEL, FIT TO CLIPSAL/SCHNEIDER FACEPLATES

PART NUMBER	DESCRIPTION	COLOR
760238475	NETCONNECT SL Jack with Clipsal bezel, Category 6, UTP with Dust Cover, White	Almond
760238472	NETCONNECT SL Jack with Clipsal bezel, Category 6, UTP without Dust Cover, White	Black
760238471	NETCONNECT SL Jack with Clipsal bezel, Category 6, UTP without Dust Cover, Black	Black

telepart.net



NETCONNECT KJ SERIES JACK, WITHOUT DUST COVER, TO USE WITH KEYSTONE FACEPLATES OF OTHER SUPPLIERS

PART NUMBER	DESCRIPTION	COLOR
2291216-1	NETCONNECT KJ Keystone Jack, Category 6, UTP without Dust Cover, Almond	Almond
2291216-2	NETCONNECT KJ Keystone Jack, Category 6, UTP without Dust Cover, Black	Black
1-2291216-3	NETCONNECT KJ Keystone Jack, Category 6, UTP without Dust Cover, White	White

*Please contact us for other colors or jacks with dust cover



NETCONNECT CATEGORY 6 U/UTP PATCH CORDS

PART NUMBER	DESCRIPTION	RATE	COLOR
NPC06U2D8-BL###F	NETCONNECT Patch cord, Category 6, 4pair, Stranded U/UTP, CM, Blue, X ft	CM	Blue
NPC06U2D8-YL###F	NETCONNECT Patch cord, Category 6, 4pair, Stranded U/UTP, CM, Yellow, X ft	CM	Yellow
NPC06U2D8-RO###F	NETCONNECT Patch cord, Category 6, 4pair, Stranded U/UTP, CM, Red, X ft	CM	Red

NOTE: Replace ### with length in feet. Eg: 004 = 4ft, 007 = 7ft, 010 = 10ft

PART NUMBER	DESCRIPTION	RATE	COLOR
NPC06U2D8-WT###M	NETCONNECT Patch cord, Category 6, 4pair, Stranded U/UTP, LSZH, White, X m	LSZH	White
NPC06U2D8-GR###M	NETCONNECT Patch cord, Category 6, 4pair, Stranded U/UTP, LSZH, Gray, X m	LSZH	Gray
NPC06U2D8-OR###M	NETCONNECT Patch cord, Category 6, 4pair, Stranded U/UTP, LSZH, Orange, X m	LSZH	Orange

NOTE: Replace ### with length in met. Eg: 001 = 1m, 002 = 2m, 003 = 3m, 005 = 5m

telepart.net



NETCONNECT CATEGORY 6 U/UTP, HIGH-DENSITY SOLUTION

PART NUMBER	DESCRIPTION	RATE	COLOR
760217060	NPA-UDDM-SL-TU-48: NetConnect® DDM Patch Panel, Cat6, UTP, 1U, 48 port	1U, Straight	Black
760217061	NPA-UDDM-SL-TU-48: NetConnect® Angled DDM Patch Panel, Cat6, UTP, 1U, 48 port	1U, Angled	Black
1859532-X	NETCONNECT Patch cord, Category 6, 4pair, 28AWG, Stranded U/UTP, CM, Blue, X m	CM	Blue
1859536-X	NETCONNECT Patch cord, Category 6, 4pair, 28AWG, Stranded U/UTP, CM, Yellow, X m	CM	Yellow
1859534-X	NETCONNECT Patch cord, Category 6, 4pair, 28AWG, Stranded U/UTP, CM, Red, X m	CM	Red

NOTE: Replace X with length in met. Eg: 1 = 1m, 2 = 2m, 3 = 3m, 5 = 5m

telepart.net



NETCONNECT CATEGORY 5E U/UTP CABLES

PART NUMBER	DESCRIPTION	RATE	TYPE
5-219590-2	NETCONNECT Category 5e, 4 pair, 24 AWG, U/UTP CM, 1000 ft, White	CM	U/UTP
51518-2	NETCONNECT Category 5e, 4 pair, 24 AWG, U/UTP LSZH, 305m, Pull-box, White	LSZH	U/UTP
219413-2	NETCONNECT Category 5e, 4 pair, 24 AWG, R/UTP, 305m, Pull-box, White	PVC	R/UTP
1489418-1	NETCONNECT TES10R25, Category 5e, 25 Pair, 24 AWG, U/UTP CMR, 1000ft, Reel, White	CMR	U/UTP

telepart.net



COMMSCOPE SL DISCRETE DISTRIBUTION MODULE (DDM) PATCH PANELS, UNLOAD

PART NUMBER	DESCRIPTION	SPACE	PORTS	TYPE
760217040	CPP-UDDM-SL-1U-24: CommScope® SL DDM Patch Panel, UTR 1U, 24 port, Straight	1U	24	Straight
760217041	CPP-UDDM-SL-2U-48: CommScope® SL DDM Patch Panel, UTR 2U, 48 port Straight	2U	48	Straight
760217044	CPP-UDDM-SL-1U-24: CommScope® SL DDM Patch Panel, UTR 1U, 24 port, Recepted Angled	1U	24	Angled
760217045	CPP-UDDM-SL-2U-48: CommScope® SL DDM Patch Panel, UTR 2U, 48 port, Recepted Angled	2U	48	Angled

*Customer should order 9-1375191-3 (24 pcs bulk pack) to have a fully loaded patch panel.

telepart.net



NETCONNECT SL SERIES JACK WITHOUT DUST COVER

PART NUMBER	DESCRIPTION	COLOR
1375191-1	NETCONNECT Category 5e jack, 110 SL, without Dust Cover, UTR Almond	Almond
1375191-2	NETCONNECT Category 5e jack, 110 SL, without Dust Cover, UTR Black	Black
9-1375191-2	NETCONNECT Category 5e jack, 110 SL, without Dust Cover, UTR Black, in bulk pack	Black
1-1375191-3	NETCONNECT Category 5e jack, 110 SL, without Dust Cover, UTR Alpine white	Alpine white

*Please contact us for other Colors or Jacks with Dust Cover

Copper solutions

Category 5e U/UTP



NETCONNECT KJ SERIES JACK WITHOUT DUST COVER, TO USE WITH KEYSTONE FACEPLATES OF OTHER SUPPLIERS

PART NUMBER	DESCRIPTION	TYPE
1-2291217-3	NETCONNECT KJ Series, Keystone UTP Category 5e, Modular Jack, without Dust Cover, White	White
2291217-1	NETCONNECT KJ Series, Keystone UTP Category 5e, Modular Jack, without Dust Cover, Almond	Almond
2291217-2	NETCONNECT KJ Series, Keystone UTP Category 5e, Modular Jack, without Dust Cover, Black	Black

*Please contact us for other Colors or Jacks with Dust Cover

telepart.net



CATEGORY 5E U/UTP PATCH CORDS

PART NUMBER	DESCRIPTION	RATE	COLOR
CD15502-02F###	COSI-U-CM-BL: CommScope Patch cord Cat 5e, 4pair, Stranded U/UTP CM, Blue, X ft	CM	Blue
CD15502-09F###	COSI-U-CM-YL: CommScope Patch cord Cat 5e, 4pair, Stranded U/UTP CM, Yellow, X ft	CM	Yellow
CD15502-03F###	COSI-U-CM-RED: CommScope Patch cord Cat 5e, 4pair, Stranded U/UTP CM, Red, X ft	CM	Red

NOTE: Replace ### with length in feet. Eg. 004 = 4ft, 007 = 7ft, 010 = 10ft



PART NUMBER	DESCRIPTION	RATE	COLOR
CD15502-08M###	COSI-U-2-WH: CommScope Patch cord Cat 5e, 4pair, Stranded U/UTP LSZH, White, X m	LSZH	White
CD15502-02CM###	COSI-U-2-GY: CommScope Patch cord Cat 5e, 4pair, Stranded U/UTP LSZH, Gray, X m	LSZH	Gray
CD15502-08M###	COSI-U-2-OR: CommScope Patch cord Cat 5e, 4pair, Stranded U/UTP LSZH, Orange, X m	LSZH	Orange

NOTE: Replace ### with length in met. Eg. 001 = 1m, 002 = 2m, 003 = 3m, 005= 5m

telepart.net



NETCONNECT CATEGORY 3 MULTIPAIR CABLES

PAIR	DESCRIPTION	JACKET	1000FT (305M) / REEL	1640FT (500M) / REEL	3300FT (1000M) / REEL
25	NETCONNECT 310 Series Copper Cable, Category 3, 25 pair, U/UTP, CMR rated, Gray	CMR	9-57242-1	9-57242-1	9-57242-1
25	NETCONNECT 310 Series Copper Cable, Category 3, 25 pair, U/UTP, LSZH rated, Gray	LSZH	9-1427315-1	9-1427315-3	9-1427315-2
50	NETCONNECT 310 Series Copper Cable, Category 3, 50 pair, U/UTP, CMR rated, Gray	CMR	9-57315-1	9-57315-1	9-57315-1
50	NETCONNECT 310 Series Copper Cable, Category 3, 50 pair, U/UTP, LSZH rated, Gray	LSZH	9-1427258-1	9-1427258-2	9-1427258-3
100	NETCONNECT 310 Series Copper Cable, Category 3, 100 pair, U/UTP, CMR rated, Gray	CMR	9-57315-1	9-57315-1	9-57315-1
100	NETCONNECT 310 Series Copper Cable, Category 3, 100 pair, U/UTP, LSZH rated, Gray	LSZH	9-1427251-1	9-1427251-2	-

telepart.net



NETCONNECT SL JACK, RJ11

PART NUMBER	DESCRIPTION	COLOR
1375182-1	NETCONNECT SL Jack, Category 3, RJ11, UTP Without dust cover, Almond	Almond
1375182-2	NETCONNECT SL Jack, Category 3, RJ11, UTP without dust cover, Black	Black
1-1375182-3	NETCONNECT SL Jack, Category 3, RJ11, UTP without dust cover, White	White

telepart.net



LSA-PLUS® DISCONNECT MODULE

PART NUMBER	DESCRIPTION	PAIR
60891121-02	6089 1 121-02: CommScope LSA-PLUS® Series 2 Disconnect Module, 10-pair, Contact Special Brass, Silver plated, PROFL mounting	10
64685061-00	6468 5 061-00: Highband® Disconnect Module, category 5e, PROFL®, 10-pair	10
64685060-08	6468 5 060-08: Highband® Utm® Disconnect Module, 8-pair, with jumper rings, category 6	8

LSA-PLUS® DISTRIBUTION RACK & BACKMOUNT FRAME (UNLOADED)

PART NUMBER	DESCRIPTION	PAIRS
Distribution Rack		
6421013-00	6421 1 013-00: LSA-PLUS® Distribution Rack, for holding standard and PROFIL modules series 2, black	1380
Backmount Frame for 19" Rack		
64271013-01	6427 1 017-01: LSA-Plus® Backmount Frame, 19 in, 15-way, 3 RU, recessed	150
64271007-01	6427 1 007-01: LSA-Plus® Backmount Frame, 19 in, 10-way, 4 RU, recessed	180
64271007-01	6427 1 007-01: LSA-Plus® Backmount Frame, 19 in, 10-way, 4 RU, recessed	180



LSA-PLUS® WALL BOXES (UNLOADED)

PART NUMBER	DESCRIPTION	PAIRS
64382421-00	6428 2 421-00: LSA-PLUS® Connection Box, 500 Series, holds up to 1 x 10 Series 2 LSA-PLUS modules	100
64382418-00	6428 2 418-00: LSA-PLUS® Connection Box, 500 Series, holds up to 2 x 10 Series 2 LSA-PLUS modules	200
64382419-00	6428 2 419-00: LSA-PLUS® Connection Box, 500 Series, holds up to 2 x 20 Series 2 LSA-PLUS modules	400
64382424-00	6428 2 424-00: LSA-PLUS® Connection Box, 520 Series, holds up to 2 x 34 Series 2 LSA-PLUS modules	680
64382425-00	6428 2 425-00: LSA-PLUS® Connection Box, 530 Series, holds up to 3 x 34 Series 2 LSA-PLUS modules	1020



COMPROTECT® OVERVOLTAGE PROTECTION

PART NUMBER	DESCRIPTION	PAIRS
8802529-001	8802 1 010-20: 1/2 ComProtect® C0818GAS - Voice - Single pair protection plug 5-point w/PTC - use w/ LSA series 2 (Box of 10 pcs w/ earth bar)	1
CJ7403-000	C0808 2 003-08: LSA-PLUS® Overvoltage Arrester Magazine, 10-pair, loaded, SuA, 230V	10

LSA-PLUS® INSERTION TOOL WITH SENSOR

PART NUMBER	DESCRIPTION
64173055-01	6417 2 055-01: LSA-PLUS® Insertion Tool with Sensor



Copper solutions

Modular RJ45 Plug & Termination Tools



NETCONNECT CATEGORY 6A RJ45 MODULAR PLUG & TOOL

PART NUMBER	DESCRIPTION	CATEGORY	TYPE
Connector (Used with Cat6A UTP CSA4 only)			
6-284300-1	MP-6AU-Plug-A-1: Modular Plug, Category 6A6, Unshielded, Cond Insulation OD - 0.99mm, 105lug	Cat 6	Unshielded
2843018-3	MP-6AU-Boot-71-1: Integrated Boot and Pair Manager for MP-6AU, 71 mm, transparent	-	Boot



TOOL KITS

PART NUMBER	DESCRIPTION	TYPE
2-231852-0	NETCONNECT Modular Plug Hand Tool without Dies	Tool
1-853820-5	NETCONNECT Modular Plug Die Only, 8-Position, MP-6AU Plugs, Pink Die	Die Set

telepart.net



NETCONNECT CATEGORY 6 RJ45 MODULAR PLUG & TOOL

PART NUMBER	DESCRIPTION	CATEGORY	TYPE
6-2111979-3	NETCONNECT Modular Plug R/L, Category 6, shielded, 8-position, 5.1 - 6.0 mm max cable OD, 105lug	Cat 6	Shielded
6-2111989-3	NETCONNECT Modular Plug R/L, Category 6, shielded, 8-position, 5.7 - 7.0 mm max cable OD, 105lug	Cat 6	Shielded



TOOL KITS

PART NUMBER	DESCRIPTION	TYPE
706163-5	NETCONNECT Modular Plug Hand Tool with 8-Position Die, Category 6, Shielded Plugs 5.7 - 7.0 mm	Tool

telepart.net

Copper solutions

Modular RJ45 Plug & Termination Tools



NETCONNECT CATEGORY 5E RJ45 MODULAR PLUG & TOOL

PART NUMBER	DESCRIPTION	CATEGORY	TYPE
6-569590-3	NETCONNECT Modular Plug Kit, Category 5e, shielded, 8-position, round, 5.6 mm OD, 100/bag	Cat 5e	Shielded
6-569590-3	NETCONNECT Modular Plug Kit, Category 5, shielded, 8-position, round, 5.1 mm OD, 100/bag	Cat 5	Shielded
6-554720-3	NETCONNECT Modular Plug Kit, Category 5, unshielded, 8-position, flat oval, 2.54 x 8.89 mm OD, 100/bag	Cat 5	Unshielded
6-557215-3	NETCONNECT Modular Plug Kit, Category 5, unshielded, 8-position, round, 5.1 mm OD, 100/bag	Cat 5	Unshielded

telepart.net



TOOL KITS

PART NUMBER	DESCRIPTION	CATEGORY	TYPE
2-231652-1	NETCONNECT Modular Plug Hand Tool with 8-Position Die, Category 5, Black Dot	Cat 5	Tool
2-231652-0	NETCONNECT Modular Plug Hand Tool without Dies	-	Tool
1-853400-0	NETCONNECT Modular Plug Die Only, 8-Position, Category 5e, White Dot	Cat 5e	Die Set
853400-1	NETCONNECT Modular Plug Die Only, 8-Position, Category 5, Black Dot	Cat 5	Die Set

telepart.net

Copper solutions

Modular RJ45 Plug & Termination Tools



NETCONNECT MODULAR BOOT			
PART NUMBER	DESCRIPTION	CATEGORY	COLOR
Transparent Boot, compatible with color clips			
2843048-1	NETCONNECT Modular Plug Boot, 8-Position Plug, Slim-line, Transparent, 5.7 mm max cable OD	Cat 5 & Cat 5e/ Unshielded	Transparent
2111797-1	NETCONNECT Modular Plug Boot, 8-Position Plug, Slim-line, Transparent, 6.2mm Max Cable OD	Cat 5 & Cat 5e/ Unshielded	Transparent
2843039-3	NETCONNECT Modular Plug Boot, 8-Position Plug, Slim-line, Transparent, 5.7 to 7.0 mm Cable OD	Cat 6/ Shielded	Transparent
Color Boot			
272354-3	NETCONNECT Modular Plug Boot, 8-Position Plug, Red	—	Red
272354-5	NETCONNECT Modular Plug Boot, 8-Position Plug, Blue	—	Blue
272354-6	NETCONNECT Modular Plug Boot, 8-Position Plug, Yellow	—	Yellow

telepart.net

MODULAR PLUG COLOR CLIP (USED WITH NPC PATCH CORDS)		
PART NUMBER	DESCRIPTION	COLOR
2843022-5	NETCONNECT Modular Plug Color Clip, Orange, 50 pcs	Orange
2843022-6	NETCONNECT Modular Plug Color Clip, Blue, 50 pcs	Blue
2843022-7	NETCONNECT Modular Plug Color Clip, Red, 50 pcs	Red
2843022-8	NETCONNECT Modular Plug Color Clip, Yellow, 50 pcs	Yellow
2843022-9	NETCONNECT Modular Plug Color Clip, Green, 50 pcs	Green
2843022-1	NETCONNECT Modular Plug Color Clip, Almond, 50 pcs	Almond
2843022-2	NETCONNECT Modular Plug Color Clip, Black, 50 pcs	Black
2843022-3	NETCONNECT Modular Plug Color Clip, White, 50 pcs	White
2843022-4	NETCONNECT Modular Plug Color Clip, Grey, 50 pcs	Grey
2843022-5	NETCONNECT Modular Plug Color Clip, Orange, 50 pcs	Orange

telepart.net

Copper solutions

Faceplate & Accessories

NETCONNECT FACEPLATE US STYLE

PART NUMBER	DESCRIPTION	PORT	COLOR
272368-1	NETCONNECT Faceplate, single port, shutter, US style	1	Almond
272368-2	NETCONNECT Faceplate, dual port, shutter, US style	2	Almond
Decor Faceplate			
2-1427030-1	NETCONNECT Decor faceplate, single port, shutter, US style	1	White
2-1427030-2	NETCONNECT Decor faceplate, dual port, shutter, US style	2	White
2-1427030-3	NETCONNECT Decor faceplate, triple port, shutter, US style	3	White
4 Ports Faceplate			
2711011-1	NETCONNECT Faceplate, labeled, 1-gang, 4 port, almond, US style	4	Almond
1-2111011-3	NETCONNECT Faceplate, labeled, 1-gang, 4 port, alpine white, US style	4	White
Angled Faceplate			
1-1875155-3	NETCONNECT Faceplate, 2 port, angled, flush mount, US style	2	White



telepart.net

NETCONNECT FACEPLATE UK STYLE

PART NUMBER	DESCRIPTION	PORT	COLOR
1859048-1	NETCONNECT Faceplate, single port, UK style	1	White
1859050-1	NETCONNECT Faceplate, dual port, UK style	2	White
1859053-1	NETCONNECT Faceplate, quad port, UK style	3	White
Angled Faceplate			
1859061-1	NETCONNECT Faceplate, angled single port, UK style	1	White
1859062-1	NETCONNECT Faceplate, angled dual port, UK style	2	White



NETCONNECT SINGLE AND DUAL OUTLETS 45 X 45 MM ("MOSAIC"), USED WITH LEGRAND FACEPLATE

PART NUMBER	DESCRIPTION	COLOR
1711276-1	Dual Port Outlet, shuttered flat, for 2 5A jacks, 45 x 45 mm	White
1711277-1	Single Port Outlet, shuttered flat, for 1 5A jack, 45 x 45 mm	White
1711349-1	Single Port Outlet, shuttered flat, for 1 5A jack, 22.5 x 45 mm	White



telepart.net

Copper solutions

Faceplate & Accessories

NETCONNECT BOXES

PART NUMBER	DESCRIPTION	COLOR
Surface & Ceiling Mount Box		
1119697-1	NETCONNECT Surface Mount Office Box, for SL jacks, 1 port, unloaded, Almond	Almond
1119698-1	NETCONNECT Surface Mount Office Box, for SL jacks, 2 port, unloaded, Almond	Almond
Zone Box		
1833671-2	NETCONNECT Surface Mount Module, 4 port, black	Black
1833674-2	NETCONNECT Surface Mount Module, 6 port, black	Black
1479358-2	NETCONNECT Surface Mount Module, 12 port, black	Black
1479398-1	Surface Mount Module Magnet (used with 1479358-2)	Black
Meeting Room Solution		
1-1671163-1	NETCONNECT Consolidation Point Enclosure, 4-port, twist5L jack	Black
2117500-2	SL Series HDMI Coupler Insert, black	Black
1-1495836-1	NETCONNECT SL Series, Adapter SC Simplex, Single-mode/Multimode, Almond	Almond
1803286-6	NETCONNECT SL Fiber Optic Insert Adapter, LC, duplex, single-mode/multimode, aqua	Aqua



telepart.net

NETCONNECT CONSOLIDATION POINT

PART NUMBER	DESCRIPTION	MODULE
UTP Copper (Support Cat5A, Cat6, Cat6e)		
64501105-21	450 1 105-21, Highband® Consolidation Point, category 6A, 100-pair	100 Pairs
Mixed Copper & Fiber Box		
406771-1	NETCONNECT Consolidation-point assembly (unloaded)	4
1479321-1	NETCONNECT Consolidation-point assembly, center feed, dual support, four box (unloaded)	6
1479366-1	NETCONNECT Unshielded Multimedia Module, 6 ports, accepts SL Series inserts	1
1498836-9	NETCONNECT SL Series, Adapter SC Simplex, Single-mode/Multimode, Green	-



NETCONNECT SL TOOL

PART NUMBER	DESCRIPTION
1725150-1	NETCONNECT Modular Jack Termination SL Tool Kit with Lacing Fixture



NETCONNECT PUNCHDOWN TOOL

PART NUMBER	DESCRIPTION
1375308-1	NETCONNECT 110Connect RC System Punchdown Tool



Copper solutions

Horizontal Cable Management

HORIZONTAL CABLE MANAGEMENT

PART NUMBER	DESCRIPTION
760072942	CommScope Cable Management Panel, Horizontal, Metal Finger Duct, 1U, black
760072959	CommScope Cable Management Panel, Horizontal, Metal Finger Duct, 2U, black
760038240	CommScope Cable Management Panel, Horizontal, Metal 4 Ring, 1U, black
1375163-1	NETCONNECT Cable Management Panel, Horizontal, Metal Finger Duct, 2U, black



760072942



760072959



760038240



1375163-1

NETCONNECT CATEGORY 5E

PART NUMBER	DESCRIPTION	JACKET	TYPE
1427318-1	NETCONNECT Category 5e, 4 pair, 24AWG, U/UTP PE, 1000ft, Pull-box, black	PE	UTP
1427332-1	NETCONNECT Category 5e, 4 pair, 24AWG, R/UTP PE, 1000ft, Pull-box, black	PE	R/UTP

telepart.net

NETCONNECT CATEGORY 6

PART NUMBER	DESCRIPTION	JACKET	TYPE
1427319-1	NETCONNECT Category 6, 4 pair, 23AWG, U/UTP PE, 1000ft, Pull-box, black	PE	UTP

telepart.net



NETCONNECT CATEGORY 6A F/UTP

PART NUMBER	DESCRIPTION	JACKET	TYPE
CO11192-01F##	NETCONNECT Patch cord, Category 6A, 4pair, Stranded R/UTP US24, Black, X ft	PE	R/UTP

NOTE: Replace ## with length in feet. Eg: 004 = 4ft, 007 = 7ft, 010 = 10ft

Powered Fiber solutions



COMMScope POWERED FIBER CABLE, OUTDOOR

PART NUMBER	DESCRIPTION	JACKET	TYPE
WC-502012	Commscope Powered Fiber Cable, OS2, 2 Fibers, Outdoor, 12AWG Conductor	OS2	2
WC-502016	Commscope Powered Fiber Cable, OS2, 2 Fibers, Outdoor, 16AWG Conductor	OS2	2
WC-504012	Commscope Powered Fiber Cable, OS2, 4 Fibers, Outdoor, 12AWG Conductor	OS2	4
WC-504016	Commscope Powered Fiber Cable, OS2, 4 Fibers, Outdoor, 16AWG Conductor	OS2	4
WC-512012	Commscope Powered Fiber Cable, OS2, 12 Fibers, Outdoor, 12AWG Conductor	OS2	12
WC-512016	Commscope Powered Fiber Cable, OS2, 12 Fibers, Outdoor, 16AWG Conductor	OS2	12
WC-802012	Commscope Powered Fiber Cable, OM3, 2 Fibers, Outdoor, 12AWG Conductor	OM3	2
WC-802016	Commscope Powered Fiber Cable, OM3, 2 Fibers, Outdoor, 16AWG Conductor	OM3	2

telepart.net



COMMScope POWERED FIBER CABLE, INDOOR/OUTDOOR

PART NUMBER	DESCRIPTION	JACKET	TYPE
WC-502112	Commscope Powered Fiber Cable, OS2, 2 Fibers, Indoor/Outdoor, 12AWG Conductor	OS2	2
WC-502116	Commscope Powered Fiber Cable, OS2, 2 Fibers, Indoor/Outdoor, 16AWG Conductor	OS2	2
WC-504112	Commscope Powered Fiber Cable, OS2, 4 Fibers, Indoor/Outdoor, 12AWG Conductor	OS2	4
WC-504116	Commscope Powered Fiber Cable, OS2, 4 Fibers, Indoor/Outdoor, 16AWG Conductor	OS2	4
WC-802112	Commscope Powered Fiber Cable, OM3, 2 Fibers, Indoor/Outdoor, 12AWG Conductor	OM3	2
WC-802116	Commscope Powered Fiber Cable, OM3, 2 Fibers, Indoor/Outdoor, 16AWG Conductor	OM3	2
WC-804112	Commscope Powered Fiber Cable, OM3, 4 Fibers, Indoor/Outdoor, 12AWG Conductor	OM3	4
WC-804116	Commscope Powered Fiber Cable, OM3, 4 Fibers, Indoor/Outdoor, 16AWG Conductor	OM3	4
WC-502112	Commscope Powered Fiber Cable, OS2, 2 Fibers, Indoor/Outdoor, 12AWG Conductor	OS2	2
WC-502116	Commscope Powered Fiber Cable, OS2, 2 Fibers, Indoor/Outdoor, 16AWG Conductor	OS2	2



COMMScope PoE EXTENDER

PART NUMBER	DESCRIPTION
PFU-P-A-Q-030-01	Commscope PoE Extender, Aruba Bracket, Outdoor, 30 Watt, 1-Port
PFU-P-B-Q-030-01	Commscope PoE Extender, Universal Bracket, Outdoor, 30 Watt, 1-Port
PFU-P-C-Q-060-02	Commscope PoE Extender, 2 Port Universal Mount, Outdoor, 60 Watt, 2-Port
PFU-P-C-Q-060-01	Commscope PoE Extender, 1 Port Universal Mount, Outdoor, 60 Watt, 1-Port
PFU-12-C-Q-060-01	Commscope PoE Extender with Fiber passthrough 12VDC
PFU-48-C-Q-060-01	Commscope PoE Extender with Fiber passthrough 48VDC

telepart.net

COMMScope POWER SUPPLIES

PART NUMBER	DESCRIPTION
PPF-PX-S1	Commscope Power Express Class 2 shelf and starter kit, accommodates up to 4 modules of 850W Class 2 outputs, 1U
PPF-PX-BM	Commscope Power Express module, connects up to 8 Powered Fiber Cables
PPF-PX-SF	Commscope Power Express Slot Filler, used when a module slot is empty
PPF-SPS-S1	Commscope Slimline SPS DC Rectifier Shelf, 120/240VAC to 57VDC, accommodates up to 3 rectifier modules, 1U
PPF-SPS-1600M	Commscope Slimline SPS DC Rectifier Module, 1600 Watt
PPF-SPS-C1	Commscope SPS DC Rectifier controller, factory set to 57VDC
PPF-SPS-SF	Commscope SPS Slot Filler, used when a module slot is empty



COMMSCOPE INDOOR, LOW SMOKE ZERO HALOGEN RISER DISTRIBUTION CABLE

FIBER CORE	DESCRIPTION	OM4	OM3	SM
2	Commscope Fiber Optic Cable, Indoor, LSZH, 2 Fibers	760157396	760098863	760071134
4	Commscope Fiber Optic Cable, Indoor, LSZH, 4 Fibers	760184803	760098822	760055038
6	Commscope Fiber Optic Cable, Indoor, LSZH, 6 Fibers	760012153	760009780	760004242
8	Commscope Fiber Optic Cable, Indoor, LSZH, 8 Fibers	760190260	760006136	760004259
12	Commscope Fiber Optic Cable, Indoor, LSZH, 12 Fibers	760012161	760009149	760004267
24	Commscope Fiber Optic Cable, Indoor, LSZH, 24 Fibers	760019117	760019109	760019075

telepart.net



COMMSCOPE INDOOR/OUTDOOR LOW SMOKE ZERO HALOGEN RISER DISTRIBUTION CABLE

FIBER CORE	DESCRIPTION	OM4	OM3	SM
4	Commscope Fiber Optic Cable, Indoor/Outdoor, LSZH, 4 Fibers	760238329	760046649	760068718
6	Commscope Fiber Optic Cable, Indoor/Outdoor, LSZH, 6 Fibers	760039974	760039966	760009753
8	Commscope Fiber Optic Cable, Indoor/Outdoor, LSZH, 8 Fibers	760039982	760031674	760073403
12	Commscope Fiber Optic Cable, Indoor/Outdoor, LSZH, 12 Fibers	760006650	760010982	760004184
24	Commscope Fiber Optic Cable, Indoor/Outdoor, LSZH, 24 Fibers	760070300	760070292	760070276

COMMSCOPE FIBER OPTIC CABLE, OUTSIDE PLANT, ALL DIELECTRIC

FIBER CORE	DESCRIPTION	OM4	OM3	SM
4	Commscope Fiber Optic Cable, Outside Plant, 4 Fibers	X-1427449-5	X-1427449-3	X-1427449-4
6	Commscope Fiber Optic Cable, Outside Plant, 6 Fibers	X-1427450-5	X-1427450-3	X-1427450-4
8	Commscope Fiber Optic Cable, Outside Plant, 8 Fibers	X-1427451-5	X-1427451-3	X-1427451-4
12	Commscope Fiber Optic Cable, Outside Plant, 12 Fibers	X-1427452-5	X-1427452-3	X-1427452-4
24	Commscope Fiber Optic Cable, Outside Plant, 24 Fibers	X-1427453-5	X-1427453-3	X-1427453-4

telepart.net



COMMSCOPE FIBER OPTIC DROP CABLE

FIBER CORE	DESCRIPTION	OM4	OM3
81000926708	8-001-DN-8G-F488x5P29RNB1: Commscope All-Dielectric Indoor/Outdoor Drop Cable, 1 fiber	1	SM
81000940108	0-002-DN-8G-F62NVC29: Commscope Self-Supporting All-Dielectric Outdoor Drop Cable, 2 fibers	2	SM



RACK MOUNT PANELS - STANDARD DENSITY FIBER PANELS

PART NUMBER	PRODUCT CODE	DESCRIPTION
360231489	SD-1U	SD Sliding Shelf 1U
360231456	SD-2U	SD Sliding Shelf 2U
360231464	SD-4U	SD Sliding Shelf 4U
360231472	SD-1U-FIX	SD Fixed Shelf 1U
360231480	SD-2U-FIX	SD Fixed Shelf 2U
360231498	SD-4U-FIX	SD Fixed Shelf 4U

telepart.net



WALL MOUNT PANELS

PART NUMBER	PRODUCT CODE	DESCRIPTION
360172288	WBE-6MT8K/1P-PNL	Wall Mount Panel, 1 Position, black
360147496	WBE-6MT8K/2P-PNL	Wall Mount Panel, 2 Position, black
360147504	WBE-6MT8K/4P-PNL	Wall Mount Panel, 4 Position, black
360147512	WBE-6MT8K/8P-PNL	Wall Mount Panel, 8 Position, black

telepart.net



SD SPLICING CASSETTES

PART NUMBER	PRODUCT CODE	DESCRIPTION
780221739	PWL-CS-12LCX-PT	SD SPLICING CASSETTE 12LC LaserPEED, 900µm
780242108	PWL-CS-12LCV-PT	SD SPLICING CASSETTE 12LC OMS, 900µm
780221747	PWL-CS-12LCW-PT	SD SPLICING CASSETTE 12LC TeraSPEED, 900µm
780222586	PWL-CS-12LAW-PT	SD SPLICING CASSETTE 12LC APC TeraSPEED, 900µm
780221687	PWL-CS-24LCX-PT	SD SPLICING CASSETTE 24LC LaserPEED, 900µm
780242109	PWL-CS-24LCV-PT	SD SPLICING CASSETTE 24LC OMS, 900µm
780221705	PWL-CS-24LCW-PT	SD SPLICING CASSETTE 24LC TeraSPEED, 900µm
780222588	PWL-CS-24LAW-PT	SD SPLICING CASSETTE 24LC APC TeraSPEED, 900µm
780221770	PWL-CS-12SCX-PT	SD SPLICING CASSETTE 12SC LaserPEED, 900µm
780221768	PWL-CS-12SCW-PT	SD SPLICING CASSETTE 12SC TeraSPEED, 900µm
780222604	PWL-CS-12SAW-PT	SD SPLICING CASSETTE 12SC APC TeraSPEED, 900µm
780239570	PWL-CS-12LCM	SD SPLICING CASSETTE 12LC OptoSPEED, no pigtail
780236580	PWL-CS-12LCX	SD SPLICING CASSETTE 12LC LaserPEED, no pigtail
780242110	PWL-CS-12LCV	SD SPLICING CASSETTE 12LC OMS, no pigtail
780236581	PWL-CS-12LCW	SD SPLICING CASSETTE 12LC TeraSPEED, no pigtail
780236582	PWL-CS-12LAW	SD SPLICING CASSETTE 12LC APC TeraSPEED, no pigtail
780239571	PWL-CS-24LCM	SD SPLICING CASSETTE 24LC OptoSPEED, no pigtail
780236583	PWL-CS-24LCX	SD SPLICING CASSETTE 24LC LaserPEED, no pigtail
780242111	PWL-CS-24LCV	SD SPLICING CASSETTE 24LC OMS, no pigtail
780236584	PWL-CS-24LCW	SD SPLICING CASSETTE 24LC TeraSPEED, no pigtail
780236585	PWL-CS-24LAW	SD SPLICING CASSETTE 24LC APC TeraSPEED, no pigtail
780236586	PWL-CS-12SCX	SD SPLICING CASSETTE 12SC LaserPEED, no pigtail
780236587	PWL-CS-12SCW	SD SPLICING CASSETTE 12SC TeraSPEED, no pigtail
780236588	PWL-CS-12SAW	SD SPLICING CASSETTE 12SC APC TeraSPEED, no pigtail
780237458	PWL-CS-80800	SPLICING CASSETTE BLANK

telepart.net

Fiber solutions

Fiber Optic Enclosure

FIBER SPLICING SHELVE

PART NUMBER	DESCRIPTION
1U 24/48F Fiber Splicing Shelf (Includes adaptors)	
760241650	1U PANEL 12U C DURL 5M
760241651	1U PANEL 24U C DURL 5M
760241652	1U PANEL 12U C DURL 1MM
760241653	1U PANEL 24U C DURL 1MM
1U 36/72F Fiber Splicing Shelf (Support 1000-type adaptor plates)	
760241725	1U Empty Shelf, support 3 1000-type ADAPT PLATES
1U 96F Fiber Splicing Shelf (Support G2 adaptor plates)	
760242455	AGL-1U-ORIS-SL, Basic 2-Row Drawer Shelf
760242475	AGL-1U-ENC-4X, Basic Enclosed Fixed Shelf
760242476	AGL-1U-ENC-1A, Basic Enclosed Sliding Shelf
760188938	AGL-1U-TROUGH

SPLICING TRAY KIT

PART NUMBER	PRODUCT CODE
760241378	48F Splice Tray Kit with SWDOW

G2 ADAPTER PLATES

PART NUMBER	PRODUCT CODE
760216754	3600Ps-24LC-LS
760230938	3600Ps-12LC-LS
760236541	3600Ps-24LC-1MB
760236543	3600Ps-12LC-1MB
760216762	3600Ps-24LC-5M
760230946	3600Ps-12LC-5M
760216770	3600Ps-24LC-A-5M
760230961	3600Ps-12LC-A-5M
760107490	3600P-3MPO
760107508	3600P-4MPO
760107516	3600P-6MPO
760107524	3600P-8MPO
760109462	G2-MOD-BLANK-1PK



1000-TYPE ADAPTER PLATES

PART NUMBER	DESCRIPTION
300188325	1000 to G2 type Adapter Kit
6K5808-001	1000-Type Adapter Plate Assembly, 12 LC Duplex, Aqua
360342159	1000-Type Adapter Plate Assembly, 12 LC Duplex, Lime Green
6K5809-001	1000-Type Adapter Plate Assembly, 12 LC Duplex, SM Blue
360341025	1000-Type Adapter Plate Assembly, 12 LC Duplex, SM Green
6K5808-001	1000-Type Adapter Plate Assembly, 6 LC Duplex, Aqua
360342160	1000-Type Adapter Plate Assembly, 6 LC Duplex, Lime Green
6K5807-001	1000-Type Adapter Plate Assembly, 6 LC Duplex, SM Blue
360341026	1000-Type Adapter Plate, Black, 6 LC Duplex, SM Green
360341027	1000-Type Adapter Plate, Black, 6 SC Duplex, Aqua
6M1828-001	1000-Type Adapter Plate, Black, 6 SC Duplex, SM Blue
360341028	1000-Type Adapter Plate, Black, 6 SC Duplex, SM Green
360342156	1000-Type Adapter Plate, Black, 12 SC SM SM Blue
360342438	1000-Type Adapter Plate, Black, 12 SC SM SM Green
6M2454-001	1000-Type Adapter Plate Assembly, Blank
360342158	1000-Type Adapter Plate Assembly, 12 MPD key-up to key-down
360342157	1000-Type Adapter Plate Assembly, 12 MPD aligned key
360056877	1000-Type Adapter Plate, Black, 8 MPD aligned key
360034280	1000-Type Adapter Plate, Black, 6 MPD aligned key
360015412	1000-Type Adapter Plate, Black, 2 MPD aligned key

Fiber solutions

Fiber Adapters and Connectors

FIELD INSTALLABLE QWIK II CONNECTORS AND TOOL KITS

PART NUMBER	PRODUCT CODE	DESCRIPTION
760117911	MPC-ICF-09-5A-25-PACK	QWIK II Connector, LC, OM3/OM4, for use on 250um and 900um buffered fiber, 25 pk
760117929	SPC-ICF-09-8A-25-PACK	QWIK II Connector, LC, OM2-UPC, for use on 250um and 900um buffered fiber, 25 pk
760117938	MPC-SCF-09-5A-25-PACK	QWIK II Connector, SC, OM3/OM4, for use on 250um and 900um buffered fiber, 25 pk
760117986	SPC-SCF-09-8A-25-PACK	QWIK II Connector, SC, OM2-UPC, for use on 250um and 900um buffered fiber, 25 pk
760184697	SPC-ICF-09-8A-25-PACK	QWIK II Connector, LC, OM2-APC, for use on 900um buffered fiber, 25 pk
760242377	KIT - QWIK II	Tool Kit, for termination of Qwik II-connectors
760242378	KIT - QWIK II PREMIUM	Tool Kit, for termination of Qwik II-connectors, includes precision cleaver and VPI

ANAEROBIC FIBER OPTIC CONNECTORS AND TOOL KITS

PART NUMBER	PRODUCT CODE	DESCRIPTION
760034787	MPC-4CR-09	MM LC pre-radius connector for use on 900um buffered fiber, single pack
760034799	SPC-4CR-09	SM LC pre-radius connector for use on 900um buffered fiber, single pack
760007070	MPC-5CR-09	MM SC connector for use on 900um buffered fiber, single pack
760007112	SPC-5CR-09	SM SC connector for use on 900um buffered fiber, single pack
700005858	KIT 1025H TOOL P2020CC-C	Anaerobic tool kit
760000810	EZ ADHESIVE KIT	Consumables Kit, Anaerobic
760003207	CONSUMABLES KIT	Cleaning Consumables Kit, Fiber Optic

FIBER BREAK-OUT KITS

PART NUMBER	DESCRIPTION
760218620	6 Fiber Breakout kit, loose tube, 26 inch, indoor
760218608	12 Fiber Breakout kit, loose tube, 24 inch, indoor
708494488	2 x 12 Fiber Breakout Kit, outside plant, gel blocking

FIBER CABLE CLAMPS

PART NUMBER	PRODUCT CODE	DESCRIPTION
708025653	12A2 Clamp	Grounding Clamp Kit, non-metallic sheath cable
708025513	12A1 Clamp	Grounding Clamp Kit, metallic sheath cable



FIBER PATCH CORDS

FIBER TYPE	JACKET	OD	PERFORMANCE	FIBER COUNT	LC - LC	LC - SC	SC - SC
OM4	OFNP	1.6mm	ULL	2	UDGLCLC42-M8M***		
OM5	OFNP	1.6mm	ULL	2	UDMLCLC42-M8M***		
SM G657.A2	OFNP	1.6mm	ULL	2	UDGLCLC42-M8M***		
OM4	R92RALSZH	1.6mm	ULL	2	UPGLCLC42-M8M***		
OM5	R92RALSZH	1.6mm	ULL	2	UPVLCLC42-M8M***		
SM G657.A2	R92RALSZH	1.6mm	ULL	2	UPGLCLC42-M8M***		
OM4	OFNP	1.6mm	UL	2	FDGLCLC42-M8M***	FDGLSC42-M8M***	FDHSC42-M8M***
OM5	OFNP	1.6mm	UL	2	FDVLCLC42-M8M***		
SM G657.A1	OFNP	1.6mm	UL	2	FDWLCLC42-M8M***	FDWLSC42-M8M***	FDHSC42-M8M***
OM3 (APNC)	R92RALSZH	1.6mm	UL	2	FWGLCLC42-M8M***	FWGLSC42-M8M***	FWHSC42-M8M***
OM4	R92RALSZH	1.6mm	UL	2	FWGLCLC42-M8M***	FWGLSC42-M8M***	FWHSC42-M8M***
OM5	R92RALSZH	1.6mm	UL	2	FWGLCLC42-M8M***		
SM G657.A1	R92RALSZH	1.6mm	UL	2	FWGLCLC42-M8M***	FWGLSC42-M8M***	FWHSC42-M8M***
OM3 (APNC)	R92RALSZH	1.8mm	UL	2	X-2195227-Y		
OM4 (APNC)	R92RALSZH	1.8mm	UL	2	X-2195261-Y		
SM (APNC)	R92RALSZH	1.8mm	UL	2	X-2195228-Y		

NOTE: M***: 301-061 meters

NOTE: X - Y: 01-65 meters, e.g. ② - ⑤: 5 meters, 1 - ②: 10 meters

telepart.net



FIBER PIGTAILS

FIBER TYPE	JACKET	OD	PERFORMANCE	FIBER COUNT	LC - LC	LC - SC
OM3	Semi-Tight	0.9mm	LL	1	FBWLUC11-AMP003/5	
OM4	Semi-Tight	0.9mm	LL	1	FBWLUC11-AMP003/5	FBWSCUC11-AMP005
SM G657.A1	Semi-Tight	0.9mm	LL	1	FBWLUC11-BX003/5	FBWSCUC11-BX003/5
SM G657.A1	Semi-Tight	0.9mm	LL	1	FBWLUC11-BX003/5	FBWSCUC11-BX003/5
SM G652D	Tight	0.9mm	LL	1	2105016-2/3	
OM3	Tight	0.9mm	LL	12 color	FBWLUCDC-X0P003/5	
OM4	Tight	0.9mm	LL	12 color	FBWLUCDC-X0P003/5	FBWSCUCDC-X0P003/5
SM G657.A1	Tight	0.9mm	LL	12 color	FBWLUCDC-X0P003/5	FBWSCUCDC-X0P003/5
SM G657.A1	Tight	0.9mm	LL	12 color	FBWLUCDC-X0P003/5	FBWSCUCDC-X0P003/5

telepart.net

Rack and Cabinet

COMMSCOPE OPEN RACK		
PART NUMBER	DESCRIPTION	HEIGHT
760082495	RK8-45A: Equipment Rack, 2-Post, 6-in (152-mm) Channel x 7 ft (2134-mm) H - 19-in (482.6-mm) Au (05U) 12-24 Tapped Rails, Black	45U
760072801	Vertical Cable Management Kit, 10in X 84in (254mm X 2134mm) Double Sided, With Doors, Silver	45U



COMMSCOPE XD RACK				
PART NUMBER	DESCRIPTION	HEIGHT	WIDTH X DEPTH	DOOR
272370-1	XD CABINET RACK 800X600, 42U SINGLE	42U	800 x 600	Curve Perforate
272370-2	XD CABINET RACK 800X600, 42U, 2 Cabinet W One Row	42U	800 x 600	Curve Perforate
1427501-1	XD CABINET RACK 800X1100, 42U, SINGLE	42U	800 X 1100	Curve Perforate
1427501-2	XD CABINET RACK 800X1100, 42U, 2 CAB W Row	42U	800 X 1100	Curve Perforate

COMMSCOPE SERVER RACK				
PART NUMBER	DESCRIPTION	HEIGHT	WIDTH X DEPTH	DOOR
1-1427504-1	Commscope Standard Rack 600X1100, 15U, Acrylic Door	15U	600 x 1100	Acrylic
1-1427504-2	Commscope Standard Rack 600X1100, 15U, Flat Perforate Door	15U	600 x 1100	Flat Perforate
1-1427504-3	Commscope Standard Rack 600X1100, 15U, Curve Perforate Door	15U	600 x 1100	Curve Perforate
1-1427506-1	Commscope Standard Rack 800X1100, 15U, Acrylic Door	15U	800 x 1100	Acrylic
1-1427506-2	Commscope Standard Rack 800X1100, 15U, Flat Perforate Door	15U	800 x 1100	Flat Perforate
1-1427506-3	Commscope Standard Rack 800X1100, 15U, Curve Perforate Door	15U	800 x 1100	Curve Perforate
2-1427504-1	Commscope Standard Rack 600X1100, 27U, Acrylic Door	27U	600 x 1100	Acrylic
2-1427504-2	Commscope Standard Rack 600X1100, 27U, Flat Perforate Door	27U	600 x 1100	Flat Perforate

COMMScope SERVER RACK (CONTINUED)

PART NUMBER	DESCRIPTION	HEIGHT	WIDTH X DEPTH	DOOR
2-1427504-3	CommScope Standard Rack 600X1100, 27U, Curve Perforate Door	27U	600 x 1100	Curve Perforate
2-1427506-1	CommScope Standard Rack 800X1100, 27U, Acrylic Door	27U	800 x 1100	Acrylic
2-1427506-2	CommScope Standard Rack 800X1100, 27U, Flat Perforate Door	27U	800 x 1100	Flat Perforate
2-1427506-3	CommScope Standard Rack 800X1100, 27U, Curve Perforate Door	27U	800 x 1100	Curve Perforate
3-1427504-1	CommScope Standard Rack 600X1100, 36U, Acrylic Door	36U	600 x 1100	Acrylic
3-1427504-2	CommScope Standard Rack 600X1100, 36U, Flat Perforate Door	36U	600 x 1100	Flat Perforate
3-1427504-3	CommScope Standard Rack 600X1100, 36U, Curve Perforate Door	36U	600 x 1100	Curve Perforate
3-1427506-1	CommScope Standard Rack 800X1100, 36U, Acrylic Door	36U	800 x 1100	Acrylic
3-1427506-2	CommScope Standard Rack 800X1100, 36U, Flat Perforate Door	36U	800 x 1100	Flat Perforate
3-1427506-3	CommScope Standard Rack 800X1100, 36U, Curve Perforate Door	36U	800 x 1100	Curve Perforate
4-1427504-1	CommScope Standard Rack 600X1100, 42U, Acrylic Door	42U	600 x 1100	Acrylic
4-1427504-2	CommScope Standard Rack 600X1100, 42U, Flat Perforate Door	42U	600 x 1100	Flat Perforate
4-1427504-3	CommScope Standard Rack 600X1100, 42U, Curve Perforate Door	42U	600 x 1100	Curve Perforate
4-1427506-1	CommScope Standard Rack 800X1100, 42U, Acrylic Door	42U	800 x 1100	Acrylic
4-1427506-2	CommScope Standard Rack 800X1100, 42U, Flat Perforate Door	42U	800 x 1100	Flat Perforate
4-1427506-3	CommScope Standard Rack 800X1100, 42U, Curve Perforate Door	42U	800 x 1100	Curve Perforate

telepart.net

COMMScope NETWORK RACK

PART NUMBER	DESCRIPTION	HEIGHT	WIDTH X DEPTH	DOOR
1-1427502-1	CommScope Standard Rack 600x800, 15U, Acrylic Door	15U	600 x 800	Acrylic
1-1427503-1	CommScope Standard Rack 600x800, 15U, Acrylic Door	15U	600 x 800	Acrylic
1-1427503-2	CommScope Standard Rack 600x800, 15U, Flat Perforate Door	15U	600 x 800	Flat Perforate
1-1427503-3	CommScope Standard Rack 600x800, 15U, Curve Perforate Door	15U	600 x 800	Curve Perforate
1-1427505-1	CommScope Standard Rack 800x800, 15U, Acrylic Door	15U	800 x 800	Acrylic
1-1427505-2	CommScope Standard Rack 800x800, 15U, Flat Perforate Door	15U	800 x 800	Flat Perforate
1-1427505-3	CommScope Standard Rack 800x800, 15U, Curve Perforate Door	15U	800 x 800	Curve Perforate
2-1427503-1	CommScope Standard Rack 600x800, 27U, Acrylic Door	27U	600 x 800	Acrylic
2-1427503-2	CommScope Standard Rack 600x800, 27U, Flat Perforate Door	27U	600 x 800	Flat Perforate
2-1427503-3	CommScope Standard Rack 600x800, 27U, Curve Perforate Door	27U	600 x 800	Curve Perforate
2-1427505-1	CommScope Standard Rack 800x800, 27U, Acrylic Door	27U	800 x 800	Acrylic
2-1427505-2	CommScope Standard Rack 800x800, 27U, Flat Perforate Door	27U	800 x 800	Flat Perforate
2-1427505-3	CommScope Standard Rack 800x800, 27U, Curve Perforate Door	27U	800 x 800	Curve Perforate
3-1427503-1	CommScope Standard Rack 600x800, 36U, Acrylic Door	36U	600 x 800	Acrylic
3-1427503-2	CommScope Standard Rack 600x800, 36U, Flat Perforate Door	36U	600 x 800	Flat Perforate
3-1427503-3	CommScope Standard Rack 600x800, 36U, Curve Perforate Door	36U	600 x 800	Curve Perforate
3-1427505-1	CommScope Standard Rack 800x800, 36U, Acrylic Door	36U	800 x 800	Acrylic
3-1427505-2	CommScope Standard Rack 800x800, 36U, Flat Perforate Door	36U	800 x 800	Flat Perforate
3-1427505-3	CommScope Standard Rack 800x800, 36U, Curve Perforate Door	36U	800 x 800	Curve Perforate

telepart.net

COMMScope WALL MOUNT RACK

PART NUMBER	DESCRIPTION	HEIGHT	WIDTH X DEPTH	DOOR
1427517-1	CommScope Wall Rack 600X500, 6U, Acrylic Door	6U	600 x 500	Acrylic
1427517-2	CommScope Wall Rack 600X500, 6U, Curve Perforate Door	6U	600 x 500	Curve Perforate
1427520-1	CommScope Wall Rack 600X650, 6U, Acrylic Door	6U	600 x 650	Acrylic
1427520-2	CommScope Wall Rack 600X650, 6U, Curve Perforate Door	6U	600 x 650	Curve Perforate
1427518-1	CommScope Wall Rack 600X500, 9U, Acrylic Door	9U	600 x 500	Acrylic
1427518-2	CommScope Wall Rack 600X500, 9U, Curve Perforate Door	9U	600 x 500	Curve Perforate
1427521-1	CommScope Wall Rack 600X650, 9U, Acrylic Door	9U	600 x 650	Acrylic
1427521-2	CommScope Wall Rack 600X650, 9U, Curve Perforate Door	9U	600 x 650	Curve Perforate
1427519-1	CommScope Wall Rack 600X500, 12U, Acrylic Door	12U	600 x 500	Acrylic
1427519-2	CommScope Wall Rack 600X500, 12U, Curve Perforate Door	12U	600 x 500	Curve Perforate
1427522-1	CommScope Wall Rack 600X650, 12U, Acrylic Door	12U	600 x 650	Acrylic
1427522-2	CommScope Wall Rack 600X650, 12U, Curve Perforate Door	12U	600 x 650	Curve Perforate

telepart.net

Rack and Cabinet

COMMScope RACK ACCESSORIES - SHELVES

PART NUMBER	DESCRIPTION	DEPTH
1427509-1	CommsScope Vented shelf, 600 mm	400
1427510-1	CommsScope Fix shelf, for 600 Series, 400 mm	450
1427510-2	CommsScope Fix shelf heavy duty, for 600 Series, 450 mm	450
1427510-3	CommsScope Fix shelf, for 800 Series, 600 mm	600
1427510-4	CommsScope Fix shelf heavy duty, for 800 Series, 600 mm	600
1427510-5	CommsScope Fix shelf, for 1100 Series, 800 mm	800
1427510-6	CommsScope Fix shelf heavy duty, for 1100 Series, 800 mm	800

COMMScope RACK ACCESSORIES - FANS

PART NUMBER	DESCRIPTION	SIZE
1427508-1	CommsScope Ventilating fan set 2x4"	2x4
1427508-2	CommsScope Ventilating fan set 3x4"	3x4

COMMScope RACK ACCESSORIES - AC POWER DISTRIBUTION UNITS

PART NUMBER	DESCRIPTION	OUTLET
1427507-1	CommsScope AC Power Distribution Unit, 6 outlet (3x2)	6
1427507-2	CommsScope AC Power Distribution Unit, 12 outlet (3x2)	12
1-1427507-1	CommsScope AC Power Distribution Unit, 6 outlet power plug	6
1-1427507-2	CommsScope AC Power Distribution Unit, 12 outlet power plug	12